

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
30 November 2000 (30.11.2000)


PCT

(10) International Publication Number  
**WO 00/72269 A1**


- (51) International Patent Classification<sup>7</sup>: G06T 15/00  
Kawasaki-shi, Kanagawa 213-0001 (JP). TAMURA, Tomozo; Sony Computer Entertainment Inc., 1-1, Akasaka 7-chome, Minato-ku, Tokyo 107-0052 (JP).
- (21) International Application Number: PCT/JP00/03111
- (22) International Filing Date: 16 May 2000 (16.05.2000) (74) Agent: YAMAMOTO, Toshitake; 301, Ogikubo Sunny Garden, 28-9, Ogikubo 4-chome, Suginami-ku, Tokyo 167-0051 (JP).
- (25) Filing Language: English
- (26) Publication Language: English (81) Designated States (*national*): AU, BR, CA, CN, KR, MX, NZ, RU, SG.
- (30) Priority Data:  
11/139315 19 May 1999 (19.05.1999) JP (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
- (71) Applicant: SONY COMPUTER ENTERTAINMENT INC. [JP/JP]; 1-1, Akasaka 7-chome, Minato-ku, Tokyo 107-0052 (JP). Published:  
— With international search report.  
— Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.
- (72) Inventors: NAKASHIMA, Kazutoshi; 103, Kopo-Hirumi, 5-37, Mizonokuchi 6-chome, Takatsuku,

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR GENERATING OUTLINES



(57) Abstract: With an outline generating method, outwards-facing normal vectors are set for a true object, inwards-facing normal vectors are set for an object for adding an outline, the object for adding the outline is further made to be larger than the true object, and these are overlaid, thus allowing an image with an outline added thereto to be instantaneously obtained without placing a load on the CPU.



BEST AVAILABLE COPY

WO 00/72269 A1

**WO 00/72269 A1**

---



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## DESCRIPTION

### METHOD AND APPARATUS FOR GENERATING OUTLINES

#### 5 BACKGROUND OF THE INVENTION

##### Field of the Invention

The present invention relates to a technique for adding an outline to an object in computer graphics.

##### Description of the Related Art

10 Conventionally, drawing methods using polygons have been used for generating virtual three-dimensional images in a simpler fashion. Particularly, in game systems, the above image generating method using polygons is employed due to the reason that three-dimensional images must be generated instantaneously in accordance with player operation information.

15 It is known that the image generating method using polygons is carried out following steps such as:

Step 1: An object is divided into polygon areas, thereby forming object data of a collection of polygon apex data (x, y, z).

Step 2: The pattern, i.e., texture data is set for the above object data.

20 Step 3: The point of view from the player is set based on the operating information, and the coordinates values for each piece of polygon apex data in the above object data is changed based on this point of view.

Step 4: Brightness according to the distance from the set light source is set for each piece of polygon apex data.

25 Step 5: The determined polygon apex data is replaced with two-dimensional data in predetermined units, e.g., every frame. This is generally referred to as perspective conversion.

- 2 -

Step 6: The data following perspective conversion is two-dimensional polygon data, and the coordinate values are only x and y.

Step 7: Texture data is appropriated to each of the above polygons, i.e., color and patterns are set to the corresponding memory area indicated by the polygon data.

5 This is generally called texture mapping.

Step 8: Image data stored in the memory is read out, and displayed on a television monitor.

Thus, a three-dimensional image can be obtained with simple processing, by using the above process.

10 Recently, there have been requests for adding an outline to objects using polygons such as described above. This is because adding outlines allows new visual effects to be obtained. However, adding outlines to objects using polygons is not being practiced as of now. The reason is that, in order to add outlines to objects using polygons, the edge of each polygon, i.e., the boundary line for each polygon area must  
15 be detected. Inserting this edge detecting into the above step makes the amount of processing to be very great, which would cause deterioration in response to the player's operation, and render the game impractical.

### SUMMARY OF THE INVENTION

20 Accordingly, it is an object of the present invention to provide a technique whereby outlines can be added to objects using polygons, with simple processing.

The present invention has been made in order to achieve the above object, and has the following invention specifying features.

The outline generating data generating method according to the present  
25 invention comprises a step for generating an object for generating an outline, which is in a homothetic relation with a true object regarding which normal vectors are set outside of self, and which is larger than the true object, based on input parameters.

The object for generating an outline may have inward-pointing normal vectors set thereto, and the parameters may comprise at least normal vector data and data indicating size regarding the true object.

5 The outline generating object generating apparatus according to the present invention comprises: parameter input means for inputting at least normal vector data, and data indicating size regarding a true object regarding which normal vectors are set outside of self; and outline generating object data generating means for generating an object for generating an outline, which is in a homothetic relation with a true object regarding which normal vectors are set outside of self, and which is larger than the true  
10 object, based on the data from the parameter input means.

The outline generating object recording system according to the present invention comprises: parameter input means for inputting at least normal vector data, and data indicating size regarding a true object regarding which normal vectors are set outside of self; outline generating object data generating means for generating an object  
15 for generating an outline, which is in a homothetic relation with a true object regarding which normal vectors are set outside of self, and which is larger than the true object, based on the data from the parameter input means; and authoring means for recording the true object data and the outline generating object data to a master for generating computer-readable computer-executable media.

20 The computer-readable computer-executable medium for generating the outline generating object according to the present invention stores the following data in a computer-readable and computer-executable manner: true object data regarding which normal vectors are set outside of self; object data for generating an outline, which is in a homothetic relation with the true object, and which is larger than the true object; and  
25 program data for using the object data.

The entertainment system according to the present invention comprises: reading means for reading data from a computer-readable computer-executable medium;

operating means for inputting various types of operating information; a CPU for performing processing based on program data read from the computer-readable computer-executable medium and operation information input from the operating means; graphic processing means for generating images based on commands from the CPU; and output means for displaying output images from the graphic processing means on a television monitor; wherein the graphic processing means generates an outline for the true object, based on true object data regarding which normal vectors are set outside of self, and object data for generating an outline, which is in a homothetic relation with the true object, and which is larger than the true object, the data having been stored in the computer-readable computer-executable medium, thus adding outlines to objects based on outline generating data.

### BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1A-1F are conceptual diagrams for describing coloring based on normal lines, wherein;

Fig. 1A is an explanatory diagram illustrating outward-facing normal lines;

Fig. 1B is an explanatory diagram illustrating coloring based on outward-facing normal lines;

Fig. 1C is an explanatory diagram illustrating inward-facing normal lines;

Fig. 1D is an explanatory diagram illustrating coloring based on inward-facing normal lines;

Fig. 1E is a development illustrating the outer plane of the cube; and

Fig. 1F is a development illustrating the inner plane of the cube;

Fig. 2 is a conceptual diagram illustrating the formation of an outline, wherein;

Fig. 2A is an explanatory diagram illustrating a true object OB1 set with

- 5 -

normal lines facing outwards;

Fig. 2B is an explanatory diagram illustrating an object OB2 set with normal lines facing inwards for forming an outline greater than the true object OB1;

Fig. 2C is an explanatory diagram illustrating that the outer plane of the object OB2 set with normal lines facing inwards is not colored; and

Fig. 2D is an explanatory diagram illustrating the object OB2 which has become an outline regarding the difference with the object OB1 and thus colored;

Fig. 3 is an explanatory diagram illustrating an example of an object drawn using the method shown in Fig. 2;

Fig. 4 is a block diagram illustrating a system for generating an outline generating object and recording this in a computer-readable computer-executable medium;

Figs. 5A-5B are diagrams illustrating an example of the data structure of an object to which is added an outline, recorded by the system shown in Fig. 4, wherein;

Fig. 5A is a format diagram illustrating true object data; and

Fig. 5B is a format diagram illustrating outline generating object data; and

Fig. 6 is a block diagram illustrating an example of an entertainment system for displaying an object with an outline shown in Fig. 5 added thereto.

## DESCRIPTION OF THE PREFERRED EMBODIMENTS

The following is a detailed description of embodiments of the outline generating data generating method, apparatus, recording system, computer-readable computer-executable medium, and entertainment system according to the present invention, with reference to the attached drawings.

The crux of the present invention is in that a true object to which an outline is to be added, and an object for adding the outline which is in a homothetic relation with the

true object and is larger than the true object, are overlaid, and further the directions of the normal vectors are made to be different for these objects.

Now, the relation between normal vectors and coloring will be described with reference to Figs. 1A-1F.

5        Fig. 1A shows a certain object. As shown in this Fig. 1A, outwards-facing normal vectors N are set to the visible planes a1, b1, and c1 of this object. The term outwards-facing means facing outwards from the object, and thus facing toward the player, i.e., the point of view.

As shown in Fig. 1B, color is applied to the outer planes a1, b1, and c1 of this  
10        object to which outwards-facing normal vectors N are set. As shown in Fig. 1B, the object is not transmitting, and accordingly, the inside thereof is not visible. It is like looking at a cubic box that has been painted solid with red paint, for example.

In Fig. 1C, inwards-facing normal vectors N are set to the visible planes a1, b1, and c1 of the object. The term inwards-facing means facing inwards to the object, and  
15        thus facing away from the player, i.e., the point of view.

As shown in Fig. 1D, color is applied to the inner planes a2, b2, c2, d2, e2, and f2 of this object to which inwards-facing normal vectors N are set. At this time, color is not applied to the outer planes a1, b1, c1, d1, e1, and f1 of the object. As shown in Fig. 1D, the color on the inside is viewed through the uncolored, i.e., transparent outer  
20        planes. This is like looking at a cubic glass box that has been painted solid with red paint on the inside only, for example.

Figs. 1E-1F describe this with an example of a cardboard box. Fig. 1E is the outside of the cardboard box, and Fig. 1F is the inside of the cardboard box. The inside is colored, but the outside is not colored. Representing this state on a television  
25        monitor displays the colored inner planes through the uncolored transparent outer planes, as shown in Fig. 1D.

The present inventor has taken notice of this point, and conceived an



arrangement wherein outwards-facing normal vectors are set for the true object, inwards-facing normal vectors are set for the object for adding the outline, the object for adding the outline is further made to be larger than the true object, and these are overlaid.

5           Next, the method for adding the outline will be described with reference to Figs. 2A-2D.

As shown in Fig. 2A, first, outwards-facing normal vectors  $N$  are set for each of the planes of the true object.

Next, as shown in Fig. 2B, an outline generating object  $OB2$ , which is in a  
10   homothetic relation with the true object  $OB1$  and which is larger than the true object  $OB1$  is generated, and inwards-facing normal vectors  $-N$  are set for each of the planes of the outline generating object  $OB2$ . Accordingly, texture of color, pattern, etc., that has been specified beforehand is mapped on the outer plane of the true object  $OB1$ , and pre-specified color for generating the outline is set to the inner plane of the outline  
15   generating object  $OB2$ .

As shown in Fig. 2C, when the two objects  $OB1$  and  $OB2$  are overlaid, of the overlapped portion of the outline generating object  $OB2$  and the true object  $OB1$ , the portion of the true object  $OB1$  is all displayed in the state of the predetermined texture of color, pattern, etc., having been mapped thereto, and the remaining portion, i.e., the  
20   portion of the outline generating object  $OB2$  that has not overlapped with the true object  $OB1$  is all displayed in the predetermined color, as shown in Fig. 2D. The color in this example is black, and this portion becomes the outline. What is important here is that the outer plane of the outline generating object  $OB2$  is transparent, so the inner plane of the outline generating object  $OB2$  colored black is displayed, and this is  
25   viewed as the outline.

Fig. 3 is a display example wherein the above outline generating method has been applied to an actual character. As can be understood from Fig. 3, adding an

outline visually makes a great difference as compared to normal characters formed with polygons.

Next, the recording system for generating the above outline generating object, recording this along with the true object and program data onto a master, and  
5 manufacturing computer-readable computer executable media from this master, will be described with reference to Fig. 4.

The parameter input means 1 is for performing operations such as at least specifying each piece of polygon apex data for the true object data, setting normal  
vectors for each plane of the generated object, specifying the homothetic relation with  
10 the true object and the size ratio to the true object, and so forth. A keyboard, mouse, digitizer, etc., are used.

The outline generating object data generating means 2 generates outline  
generating object data based on the parameters input from the parameter input means 1,  
i.e., the data of the direction of the normal vectors and the ratio of size as to the true  
15 object.

The authoring means 3 is for recording the true object data, outline generating  
object data, texture data, program data, etc., on a master in a predetermined format.  
Here, the authoring means 3 includes register processing systems and the like for  
manufacturing a master such as a CD-ROM and a stamper. The computer-readable  
20 computer-executable medium 4 is manufactured by the stamper cut from a glass master.

Next, the operation primarily concerning the outline generating object data  
generating means 2 will be described.

The polygon apex data for the true object is sequentially input via the parameter  
input means 1. Once all true object data is input, and outwards-facing normal vectors  
25 are set for all polygons, the outline generating object generating process is started.  
The size ratio data as to the true object is input via the parameter input means 1. Once  
this value is input, the outline generating object data generating means 2 performs

computation processing such that the values of each of piece of polygon apex data (x, y, z) of the true object becomes a value based on the above ratio data, and the outline generating object is generated based on the newly-selected polygon apex data.

Fig. 5 illustrates data per unit for the true object, and data per unit for the outline  
5 generating object.

As shown in Fig. 5, both the data per unit for the true object, and data per unit for the outline generating object are made up of polygon apex data, normal line data, a CLUT (Color Look-Up Table) for specifying color, texture No. data, and so forth.

The difference between these sets of data is thus. In comparison with the  
10 values x, y, and z for the polygon apex data of the data per unit for the true object (See Fig. 5A), the values x, y, and z for the polygon apex data of the data per unit for the outline generating object (See Fig. 5B) have been respectively increased or decreased by  $\pm \alpha$ ,  $\pm \beta$ , and  $\pm \gamma$ . The reason that " $\pm$ " is involved is that with the x-axis, enlargement in the left direction of the screen reduces the value, with the y-axis,  
15 enlargement in the downwards direction of the screen reduces the value, and with the z-axis, enlargement in the depth-wise direction of the screen reduces the value.

Another difference is, that while the value of the normal line data of the data per unit for the true object (See Fig. 5A), is "+", i.e., the direction of the normal vector indicated by the normal line data is outwards-facing, the value of the normal line data  
20 of the data per unit for the outline generating object (See Fig. 5B), is "-", i.e., the direction of the normal vector indicated by the normal line data is inwards-facing. As described above, in the event that the direction of the normal vector is outwards-facing, the outwards-facing planes are colored, and in the event that the direction of the normal vector is inwards-facing, the inwards-facing planes are colored.

25 The sets of data per unit shown in Fig. 5 are recorded to a master by the authoring means 3 in a bit-stream along with program data, texture data, etc., as described above.

- 10 -

Fig. 6 illustrates an example of an entertainment system which reads in program data recorded in the computer-readable computer-executable medium 4, draws objects based on this program data and the operating information from the operating means 9, and adds an outline to the object based on true object data and outline generating object data.

The entertainment system shown in Fig. 6 is arranged such that a bus 8 made up of control, data, and addresses busses, is connected to a CPU 7, and connected to this bus 8 are: reading means 5 such as an optical disk drive; main memory 6; operating means 9 such as a controller, keyboard, and so forth; graphics processing means 10 for subjecting the object following perspective conversion to texture mapping processing so as to generate image data for display, based on commands supplied from the CPU 7; output means 11 for converting the image data processed here into standard television signals such as NTSC or PAL for example; a television monitor 12 for displaying the picture signals from the output means as an image on the display screen thereof; a D/A converter 13 for converting digital audio signals into analog audio signals; an amplifier circuit 14 for performing current amplification of the analog audio signals from the D/A converter 13; and a speaker 15 for outputting the audio signals from the amplifier circuit 14 as audio.

Next, the operation thereof will be described.

Once the computer-readable computer-executable medium 4 is set to the entertainment system, the program data, true object data, outline generating object data, texture data, etc., are read out by the reading means 5. Of the data read out, the program data, true object data, and outline generating object data are each stored in the main memory 6, and the texture data is held in the graphics processing means 10.

The player operating the operating means 9 causes the operation information thereof, e.g., information for moving the object, is supplied to the CPU 7 via the bus 8. The CPU 7 determines the point of view based on the above operating information, and

- 11 -

changes each set of polygon apex data for the true object data, based on the point of view. At the same time, the CPU 7 also changes each set of polygon apex data for the outline generating object data. Next, brightness is obtained for each polygon apex, by performing light source calculations according to the position of a light source  
5 determined beforehand.

Next, perspective conversion processing from three-dimensional data to two-dimensional data is performed. Accordingly, the polygon apex data for the true object and the outline generating object consists only of x and y.

Next, the CPU 7 supplies the polygon apex data (x, y) of the outline generating  
10 object following perspective conversion, normal line data, and the CLUT to the graphics processing means 10. Next, the CPU 7 supplies the polygon apex data (x, y) of the true object following perspective conversion, normal line data, CLUT, and texture No. data to the graphics processing means 10.

The graphics processing means 10 sets the polygon area of the outline  
15 generating object to the internal frame buffer, and also performs coloring for the outline, based on the CLUT. At this time, the CPU 7 does not add color the outer plane of this object, but only adds the color specified for the outline to the inner plane thereof, since the directions of the normal vectors indicated by normal line data point inwards.

In the same manner, the graphics processing means 10 sets the polygon area of  
20 the true object to the internal frame buffer, maps the texture based on the texture No. data, and performs coloring based on the CLUT. At this time, the CPU 7 adds color to the outer plane of the true object, since the directions of the normal vectors indicated by normal line data point outwards.

Accordingly, an image with an outline added to a true object is drawn on the  
25 frame buffer. This image data is supplied to the output means 11 and converted into picture signals, then supplied to the television monitor 12 and displayed on the display screen thereof as an image.

- 12 -

As described above, according to the present embodiment, outwards-facing normal vectors are set for the true object, inwards-facing normal vectors are set for the object for adding the outline, the object for adding the outline is further made to be larger than the true object, and these are overlaid, so an image with an outline added thereto can be instantaneously obtained without placing a load on the CPU 7, and this is advantageous since an image with an outline added thereto can be obtained in games and the like with good response.

As described above, according to the present invention, outwards-facing normal vectors are set for the true object, inwards-facing normal vectors are set for the object for adding the outline, the object for adding the outline is further made to be larger than the true object, and these are overlaid, thus yielding the advantage that an image with an outline added thereto can be instantaneously obtained without placing a load on the control system.

**CLAIMS**

1. An outline generating data generating method, comprising a step for generating an object for generating an outline, which is in a homothetic relation with a true object  
5 regarding which normal vectors are set outside of self, and which is larger than said true object, based on input parameters.
2. An outline generating data generating method according to Claim 1, wherein said object for generating outline has inward-pointing normal vectors set thereto.  
10
3. An outline generating data generating method according to Claim 1, wherein said parameters comprise at least normal vector data and data indicating size regarding said true object.
- 15 4. An outline generating data generating apparatus, comprising:  
parameter input means for inputting at least normal vector data, and data indicating size regarding a true object regarding which normal vectors are set outside of self; and  
outline generating object data generating means for generating an object for  
20 generating an outline, which is in a homothetic relation with a true object regarding which normal vectors are set outside of self, and which is larger than said true object, based on said data from said parameter input means.
5. An outline generating data generating apparatus according to Claim 4, wherein  
25 said object for generating outline has inward-pointing normal vectors set thereto.
6. A recording system, comprising:

- 14 -

parameter input means for inputting at least normal vector data, and data indicating size regarding a true object regarding which normal vectors are set outside of self;

outline generating object data generating means for generating an object for  
5 generating an outline, which is in a homothetic relation with a true object regarding which normal vectors are set outside of self, and which is larger than said true object, based on said data from said parameter input means; and

authoring means for recording said true object data and said outline generating object data to a master for generating computer-readable computer-executable media.

10

7. A recording system according to Claim 6, wherein said object for generating outline has inward-pointing normal vectors set thereto.

8. A computer-readable executing medium, storing the following data in a  
15 computer-readable and computer-executable manner:

true object data regarding which normal vectors are set outside of self;

object data for generating an outline, which is in a homothetic relation with said true object, and which is larger than said true object; and

program data for using said object data.

20

9. A computer-readable executing medium according to Claim 7, wherein said object data for generating outline has inward-pointing normal vectors set thereto.

10. An entertainment system for adding outlines to objects based on outline  
25 generating data, said system comprising:

reading means for reading data from a computer-readable computer-executable medium;



- 15 -

operating means for inputting various types of operating information;







a CPU for performing processing based on program data read from said computer-readable computer-executable medium and operation information input from said operating means;

5        graphic processing means for generating images based on commands from said CPU; and

output means for displaying output images from said graphic processing means on a television monitor;

10        wherein said graphic processing means generates an outline for said true object, based on true object data regarding which normal vectors are set outside of self, and object data for generating an outline, which is in a homothetic relation with said true object, and which is larger than said true object, said data having been stored in said computer-readable computer-executable medium.

15    11.    An entertainment system according to Claim 10, wherein said object data for generating outline has inward-pointing normal vectors set thereto.






FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D

3/6



FIG. 3




FIG. 4




FIG. 5A




FIG. 5B

6/6




FIG. 6

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/JP 00/03111

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 G06T15/00

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06T

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data, IBM-TDB, INSPEC

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 767 857 A (NEELY SHAWN R) 16 June 1998 (1998-06-16) abstract; claims 1,6-9; figures 2,3,5B,6,8 column 2, line 50 -column 3, line 55 ---	1-11
X	US 4 817 172 A (CHO KENJIRO) 28 March 1989 (1989-03-28) abstract; claims 1-4; figures 2-4 column 3, line 55 - line 61 ---	1-11
P,X	US 5 966 134 A (ARIAS MICHAEL L) 12 October 1999 (1999-10-12) abstract; claims 1-6; figures 8,12-14 --- -/--	1-11

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

13 September 2000

Date of mailing of the international search report

20/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Diallo, B



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/JP 00/03111

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>GB 2 183 428 A (CANON KK)  3 June 1987 (1987-06-03)  abstract; figures 2,3,8  page 3, right-hand column, line 94 - line  107</p>	1-11

# INTERNATIONAL SEARCH REPORT

information on patent family members

Internat'l Application No

PCT/JP 00/03111

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5767857	A	16-06-1998	NONE	
US 4817172	A	28-03-1989	JP 1751520 C	08-04-1993
			JP 4038020 B	23-06-1992
			JP 61246877 A	04-11-1986
			DE 3688803 A	09-09-1993
			DE 3688803 T	05-01-1994
			EP 0199587 A	29-10-1986
US 5966134	A	12-10-1999	NONE	
GB 2183428	A	03-06-1987	JP 1789278 C	29-09-1993
			JP 4081227 B	22-12-1992
			JP 62082472 A	15-04-1987
			DE 3634025 A	16-04-1987
			FR 2588398 A	10-04-1987
			GB 2220331 A,B	04-01-1990
			US 5923314 A	13-07-1999

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☒ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**